

A red fire truck is shown from the side, with its rear wheel and a red storage compartment visible. On the ground in front of the truck is a white spill control kit, which is a large, white, U-shaped container. Inside the kit, there is a white absorbent pad with a brown liquid spill on it. The background shows a blue sky and some greenery.

**HGV
DIRECT**

PARTS

SPILL CONTROL

www.hgvdirect.co.uk



GENERAL PURPOSE ABSORBENT SOCKS

- **Safely absorb** all non-hazardous liquids
- **Place at** the base of leaking machinery to absorb leaks on contact and reduce the spread of contamination
- **Use to surround a spillage** to prevent further spreading and absorb on contact

<i>Code</i>	<i>Packaging</i>	<i>Size</i>	<i>Qty.</i>	<i>Absorbs</i>
GST20	Poly.	8cm x 1.2m	20	70L



GENERAL PURPOSE ABSORBENT PADS

- **For use on all non-hazardous liquids**
- **Dimple-bonded** for strength in industrial applications
- **Central perforation** for easy tearing and maximum economy

<i>Code</i>	<i>Packaging</i>	<i>Size</i>	<i>Qty.</i>	<i>Absorbs</i>
GBV-100	Poly.	39cm x 48cm	100	60L



GENERAL PURPOSE ABSORBENT ROLLS

- **For use on all non-hazardous liquids**
- **Strong wicking** action for easy clean-up of everyday spills and leaks
- **Rolls are perforated** across width and along length for easy tearing and maximum economy

<i>Code</i>	<i>Packaging</i>	<i>Size</i>	<i>Qty.</i>	<i>Absorbs</i>
GRV-38	Poly.	38cm x 39m	1	45L
GRV-38/TP	Poly.	38cm x 39m	2	90L



SPILL CONTROL

ABSORBENTS



OIL & FUEL ABSORBENT SOCKS

- **Safely absorb oil, fuel and solvents**
- **Place at** the base of leaking machinery to absorb leaks on contact and reduce the spread of contamination
- **Use to surround a spillage** to prevent further spreading and absorb on contact

<i>Code</i>	<i>Packaging</i>	<i>Size</i>	<i>Qty.</i>	<i>Absorbs</i>
OST20	Poly.	8cm x 1.2m	20	90L



OIL AND FUEL ABSORBENT PADS

- **For use on oils, fuels and oil-based solvents**
- **Dimple-bonded for** strength in industrial applications
- **Central perforation** for easy tearing and maximum economy

<i>Code</i>	<i>Packaging</i>	<i>Size</i>	<i>Qty.</i>	<i>Absorbs</i>
OBV-100	Poly.	39cm x 48cm	100	60L



OIL AND FUEL ABSORBENT DRUM TOPPERS

- **Tough, hard-wearing** finish for use in industrial applications
- **Water repellent** properties enable use in outdoor situations without absorbing rainwater
- **Ideal for** keeping drum tops free from contamination

<i>Code</i>	<i>Packaging</i>	<i>Size</i>	<i>Qty.</i>	<i>Absorbs</i>
ODT5	Poly.	56cm dia.	5	5L
ODT25	Poly.	56cm dia.	25	25L



OIL AND FUEL ABSORBENT ROLLS

- **For use on oils, fuels and oil-based solvents**
- **Strong wicking** action for easy clean-up of everyday spills and leaks
- **Rolls are perforated** across width and along length for easy tearing and maximum economy

<i>Code</i>	<i>Packaging</i>	<i>Size</i>	<i>Qty.</i>	<i>Absorbs</i>
ORV-38	Poly.	38cm x 39m	1	45L
ORV-38/TP	Poly.	38cm x 39m	2	90L

10L OIL & FUEL MINI CAB KIT

- **Ideal for** carrying in vehicles
- **Suitable for** use indoors or outdoors
- **Practical for** maintenance engineers
- **Disposal bags** included for easy waste segregation

<i>Code</i>	<i>Packaging</i>	<i>Application</i>	<i>Absorbs</i>
OSK-MINI	Clip-top bag	Oil & Fuel	10L



20L OIL & FUEL VEHICLE SPILL KIT

- **Ideal for** carrying in vehicles
- **Packed with** quick acting absorbents
- **Practical for** maintenance engineers
- **Disposal bags** included for easy waste segregation

<i>Code</i>	<i>Packaging</i>	<i>Application</i>	<i>Absorbs</i>
OSK20CT	Clip-top bag	Oil & Fuel	20L



20L OIL & FUEL SPILL KIT WITH DRIP TRAY

- **Low-profile Trays** slide easily under plant and machinery
- **Instructions for** use clearly displayed on interior label
- **Suitable for** use indoors or outdoors
- **Easy to use**

Tray Dimensions: (L)58 × (W)40.5 × (H)7cm

<i>Code</i>	<i>Packaging</i>	<i>Application</i>	<i>Absorbs</i>
OSK20DTI	SPILL KIT + Drip Tray	Oil & Fuel	20L





25L OR 45L OIL & FUEL SPILL KIT - SHOULDER BAG

- **For use** on oils, fuels and oil-based solvents
- **Bonded pads** for strength in industrial applications
- **Highly absorbent** socks for containing spills

<i>Code</i>	<i>Packaging</i>	<i>Application</i>	<i>Absorbs</i>
OSK25	SPILL KIT	Oil & Fuel	25L
OSK45	SPILL KIT	Oil & Fuel	45L



90L OIL & FUEL SPILL KIT - DRUM

- **The kit includes** absorbent socks to contain spills and protect drains and absorbent pads to soak up spilled liquids
- **Ideal for** quick reaction to incidents
- **Helps protect** the environment and workplace from contamination and enables swift clean-up

<i>Code</i>	<i>Packaging</i>	<i>Application</i>	<i>Absorbs</i>
OSK90	SPILL KIT	Oil & Fuel	90L



120L SPILL KITS - WHEELIE-BIN

- **High capacity** Spill Kit for areas where potentially large volumes of liquid present spill risks
- **Ideal for** quick reaction to incidents and highly mobile
- **Helps protect the environment** and workplace from contamination and enables swift clean-up
- **Disposal bags** included for easy waste segregation

<i>Code</i>	<i>Packaging</i>	<i>Application</i>	<i>Absorbs</i>
OSK120	SPILL KIT	Oil & Fuel	120L
GSK120	SPILL KIT	General Purpose	120L

AdBlue®: Pollution Prevention Guidelines

The safe operation of refuelling facilities: PPG 7

9.1 Emission reduction solutions (ERS), for example AdBlue® (summary)

If they get into the environment, ERS **can seriously pollute groundwater and surface waters**. It's important that they are stored, dispensed and handled correctly.

ERS are soluble in water and **should be kept out of surface water drainage systems** that discharge to the environment. It will not be removed in an oil separator so it's important to isolate the ERS dispensing area drainage from the surface water system to reduce the possibility of spills and drips causing pollution. If this isn't possible, your site management systems should make sure any **spills of ERS are cleaned up immediately with propriety sorbents**.

AdBlue® SPECIFIC SPILL KITS

- **Spill Kits** specifically designed for dealing with Adblue® spills & leaks
- **Highly absorbent** socks & pads
- **Disposable bags** included
- **4 sizes** available

25L AdBlue® SPECIFIC SPILL KIT IN CLIP CLOSE BAG

- **Ideal for** carrying in vehicles
- **Packed with** quick acting absorbents
- **Compact and** efficient

Code	Description	Absorbs
ABK25	25 litre spill kit in clip close bag	25L



50L AdBlue® SPECIFIC SPILL KIT IN BLUE SHOULDER BAG

- **Compact 50 litre** Spill Kit, ideal for storing in vehicles
- **Ideal for** quick reaction to incidents and highly mobile
- **Disposal bags** included for easy waste segregation

Code	Description	Absorbs
ABK50	50 litre spill kit in blue shoulder bag	50L
ABRF50	50 litre Refill Kit for ABK50	50L



100L AdBlue® SPECIFIC SPILL KIT IN BLUE ROUND DRUM

- **Stationary kit** for placing near spill risk areas
- **Clip down**, weather resistant lid
- **Disposal bags** included for easy waste segregation

Code	Description	Absorbs
ABK100	100 litre spill kit in blue round bin	100L
ABRF100	100 litre Refill kit for ABK100	100L



240L AdBlue® SPECIFIC SPILL KIT IN BLUE WHEELIE BIN

- **High capacity** Spill Kit for areas where potentially large volumes of liquid present spill risks
- **Ideal for** quick reaction to incidents and highly mobile
- **Disposal bags** included for easy waste segregation

Code	Description	Absorbs
ABK240	240 litre spill kit in blue wheelie bin	240L
ABRF240	240 litre Refill kit for ABK240	240L





EVO WIPING CLOTHS

Recycled textiles, laundered and converted into wiping cloths, cutting down on landfill and incineration, reducing your environmental impact.

- **T-shirt material** - more wipers per pack
- **Soft and absorbent** - ideal for polishing and cleaning
- **Cotton rich** - excellent all round performance
- **10kg pack** for maximum value and economy

Code	Pack Size	Qty.
EVO-RW20	10kg	60/pallet



NEW SAFETY TREAD ABSORBENT GRANULES

New Safety Tread is a loose granular industrial absorbent made from calcined moller earth. The granules are 1-3mm in size and light brown in colour.

- **Leaves surfaces** safe, clean, dry and open for traffic after the absorption of the spills
- **Does not** decompose after absorption
- **Resistant to** abrasion when subjected to mechanical stress
- **Good performance** with acids (including strong acids) and alkalis
- **Good performance** with viscous solutions
- **Certified for** traffic areas
- **Fireproof, harmless** to humans and animals
- **100% natural** minerals

Code	Size	Material	Qty.
LGP30	30L	Danish Moller Clay	55/pallet



10 METRE NEOPRENE GULLY COVER

- **Prevents spills** entering drain systems
- **Lays flat** on ground to divert spills away from drain
- **Resistant** to chemicals
- **Easily washed** for repeated use
- **Overlap 10cm** at edges for optimum performance



<i>Code</i>	<i>Packaging</i>	<i>Size</i>	<i>Qty.</i>
ADRG10	Neoprene Gully Cover	50cm x 10m x 2mm	1

PLUG & DYKE COMPOUND

- **Ready-mixed plugging** compound for quick sealing of damaged containers
- **Can be applied** to severely leaking container to prevent further loss of product and reduce further contamination
- **Provides temporary seal** until container can be safely stored or emptied
- **Non-hazardous** and easy to apply; always wear protective gloves compatible with contents of leaking substance

<i>Code</i>	<i>Packaging</i>	<i>Application</i>	<i>Qty.</i>
APC5	Pre-mixed Plug & Dyke compound	0.5kg	1




PLUG RUG DRAIN COVER

- **4 Large** flexible clay drain mat to protect drains from spillages
- **Can be** applied in wet or dry situations to completely seal a drain
- **Pliable material** enables use on undulating or severely pitted surfaces to provide a temporary drain seal and protect drains from potential pollution
- **Should be** used as a first response item in spillage incidents

<i>Code</i>	<i>Packaging</i>	<i>Application</i>	<i>Qty.</i>
APRL/4	Reinforced Plug Rug	65cm x 45cm x 2cm	4





HIGH WALLED MULTI-PURPOSE TRAYS

- **Ideal for** container storage, decanting and filling tasks
- **Catch leaks** and drips from vehicles, plant and machinery
- **Made from** 100% recycled materials

<i>Code</i>	<i>Description</i>	<i>Size W × D × H</i>	<i>Capacity</i>
DT100	Medium deep tray	64.5 × 49.5 × 12cm	28L
DT95	Large deep tray	100 × 55 × 15cm	54L
DT172	Large square deep tray	80 × 80 × 12cm	60L



DRUM TRAY FOR 6 × 25L DRUMS WITH REMOVABLE BASE GRID

- **Stores up to** 6 × 25L drums or several smaller containers
- **Grid** in base keeps containers clear of leaked liquids
- **Ideal as a drip tray** under vehicles, plant and machinery
- **Made from** 100% recycled materials
- **Can be** used with/without base grid
- **Easy to clean**

<i>Code</i>	<i>Description</i>	<i>Size W × D × H</i>	<i>Capacity</i>
BT6/25	Drum Tray	100 × 55 × 15cm	60L



1 DRUM SPILLPALLET

- **Ideal for** use as a bundled waste oil collection area
- **Reduces risk** of floor contamination
- **Improves safety**
- **Removable** drum grid
- **Holds 1 x 200L drum**
- **Ideal 'quarantine' point** for damaged drums

<i>Code</i>	<i>Description</i>	<i>Size W × D × H</i>	<i>Max. load</i>	<i>Capacity</i>
BT4/200	Value Spillpallet	120 × 120 × 12cm	1000kg	120L

2 DRUM SPILLPALLET

- **Removable platform** for easy sump access and cleaning
- **Complies with** Oil Storage Regulation
- **Compatible with** most forklifts and pallet trucks*
- **Low sump** for ideal working height
- **Fully recyclable**, chemical resistant, UV-stabilized PE

NOTE * Remove drums before fork lifting

Code	Description	Size W × D × H	Max. load	Capacity
BPFE2	Spillpallet	130 × 75 × 44cm	650kg	250L



2 DRUM BUNDED WORKFLOOR

- **Stores up to** 2 x 205L drums or 16 x 25L drums
- **Removable grid** deck for easy cleaning of sump
- **Slip resistant** texture on grid deck for safety
- **Can be** joined together to form large contained area
- **Ideal as** a contained dispensing platform
- **Fully recyclable**, chemical resistant, UV-stabilized PE

Code	Description	Size W × D × H	Max. load	Capacity
BFFE2	Workfloor	160 × 80 × 15cm	1000kg	120L



2 OR 4 DRUM SPILLPALLET

- **Safe banded storage** for up to 2 or 4 drums
- **Compliant with** Oil Storage Regulations
- **Removable grid** deck - easy sump access
- **Strong** and durable
- **Ideal 'quarantine' point** for damaged drums
- **Rustproof, UV** and **Chemical resistant**

Code	Description	Size W × D × H	Max. load	Capacity
EVO-SP2	EVO Spillpallet for 2 drums	127 × 87 × 16cm	900kg	135L
EVO-SP4	EVO Spillpallet for 4 drums	122 × 162 × 16cm	900kg	250L





SPILL CONTROL



To contact your local branch
got to www.hgvdirect.co.uk



@HGVDirectUK



www.facebook.com/HGVDirect